


# TABLE OF CONTENTS

A1. COVER PAGE A2. TABLE OF CONTENTS A3. CONCEPT A4. RESEARCH & PROGRAMMING A5. ANNOTATED FLOORPLAN A6. FURNITURE SCHEDULE A7. RENDERED FLOORPLAN & FINISHES A8. REFLECTED CEILING PLAN A9. PERSPECTIVES A10, ELEVATIONS A11. ELEVATIONS A12. FURNITURE SPECIFICATIONS A13: POST OCCUPANCY SPACE ANALYSIS



### CONCEPT

Fiori Pediatrics is a children's health care center offering a complete range of pediatric care in Seattle, Washington. The design for the center is inspired by the intricate glass sculptures designed by Dale Chihuly and his museum located in downtown Seattle. Chihuly uses **form** and **color** to capture the imagination of others and challenges the conventional ideas of function and beauty. The unique aspect of glass blowing and his designs spark curiosity in those of all ages. The **organic shapes** and **bold colors** in his exhibit, *Fiori*, resemble the exhuberant and ambitious nature of children while also being **delicate** in form. With this in mind, the atmosphere will be inviting to kids and parents alike through **whimsical** architectural details, a **warm color** scheme, and an **interactive waiting** area. The use of natural light, ergonomic features, and soft materials, provide a supportive place for employees while also maintaining the proper levels of sanitation. Lastly, by using **colored glass** for wayfinding, the path of travel will be **clear** and **cohesive** for both employee and patient.



GOALSe

PROVIDE an engaging and welcoming atmophere to ease patient anxiety.

CULTIVATE positive employee mentality.

EXECUTE a clear path of circulation.

#### IDEASQ



Colorful glass to be used in waiting area, vestibule, wayfinding.

Organic and whimsical shapes to be used in architectural details.

Warm, bold colors to be used throughout the center.







#### RESEARCH SUMMARY



Color: Cool colors are beneficial to patients with anxiety. Absence of visual variety lead to sensory deprivation.



Flooring: VCT provides durable properties & easy maintenance. Carpet & VCT are most reccommended for medical facilites.

Waiting: Pediatric waiting rooms tend to be larger with a variety of spaces because most patients are accompanied by 1-2 other people.

		11	1	\$	10	1.	k.	/	
		1 18	180	۴.,	1	Ż	1	1	13
				1	A	1	I	I.	I Roscai Caraitemiana
-	NON-PATIENT AREAS	1-1		e	r-	<u> </u>	1	~	
	Reception/Business Office	1 500	300	-	-	0	x	-	Open reception area with access to main entry. Privacy for
_				-	-	Ľ.	<u>^</u>	•	business office. Very ittle betters bive patient and receptionist.
5	Workroom	1 200	200	x		•	x	X	10 In 1, of 10" deep sherves. Cost doest will in 1, doihing rod
-	Nurses Station	1 300	350	-	-	-	-	-	Worktable 10-12 eq. fl. Weight and blood pressure station w/2 chairs. Working space for
	NU SES CLENNI	1 000		•	X	0	•	٠	numes, Laboratory sink.
	Comuling Offices	3 185	540	0	1	-	-	-	Dask w12-15 sq R plus crede waterbarn w8-10 sq R 1-2 guard
				0	•	•	1.4	×.	cheirs, 36 lin, ft, of shelving 12" deep
	Encloyee Restroam	1 150		X	х	٠	٠		Levatory, tollet, separate shower room.
	Pharmacy/Slonage Area	1 80		х	X	٠	х	X	Should not be directly accessible to patients.
	Staff Lounge	1 155	150	x	٠	•	•	х	At least 8 employees and kitchen with fidge, sink, dishwasher, ko machine, and microwave. Over/idove not required.
	PATIENT AREAS							130	SWIRDINGS SWIRD SWIRDING SWIRDING ACTIVITIES AND ADDRESS AN
D	Wating Aree	1 500	500		•	х	X	X	Seating for 15 adults and 10 children. 103-200 sq. ft. of play area. Segurate sick and well areas required.
T.	Exam Rooms	0 90	810	-	-	-	-	-	85-100 sg ft. Two should be bigger to accommodate mult, children
		1 1		•	0	•	•	•	or procedures. Not restricted by conventional distance
-				_	-	-	_	_	requirements to plumbing waste lines.
5	Patient Restrooms	2 85	100	•	х	•	•	х	Levatory and tallet. One located near waiting and one near examination.
8	Secondary Waiting	1 100	100	٠	٠	X	X	X	Located close to main waiting. Seets 4 children and 4 adurts.
4				-					
5			÷.,					_	
6		+ +	-	-	-	-	-	-	
8		+ +		-	+	-	-	-	
÷		+ +		-	-	-	-	-	
0		+ +		-	+-	-	-	-	
1				-	-	-	-	-	
÷	Total Assignable SF		3,290	- 8	1000	180	Blat	HA.	8F
	Circulation % 26		1.152	- Sun of SUBTOM ASF - Live A x Decubion Multipler					
	Wultiplier 35					e La	0.0	-01	
	Total Usable SF Reg	a (a		ΞĂ		1			
	Available	1. S	4,400	Spo	ice h	VIER	is in	the	prospective project space
	Oven/Under		-42	<ul> <li>D - C (positive reservs extra space, registive means needs more space than overlette).</li> </ul>					


CRITERIA MATRIX

Lighting: Natural lighting in staff & patient areas is more and consult offices.



Overall Design: The design should not be geared too much towards toddlers, because patients 0-18 visit Pediatricians.

Furniture Upholstery: A nylon blend with other natural fibers is the best solution for medical upholstery. All fabric should be no less than 15,000 double rubs.




ADJACENCY DIAGRAM

#### beneficial. 30 - 50 footcandles is appropriate for the waiting room



# ANNOTATED FURNITURE PLAN



DRI PEDIATRI  $\overline{S}$ 

#### FURNITURE LEGEND







#### FURNITURE LEGEND

NUMBER	MANUFACTURER	NAME	QUANTITY	DIMENSIONS
1	HIGHTOWER	NIMBUS JR POINT CHAIR	6	39" X 30" X 18"
2	OFS	loewenstein guest chair	9	24° X 25°
3	OFS	hug bariatric chair	3	32° X 25°
4	HIGHTOWER	SALLY STOOL	10	18" X 18" X 15"
5	HIGHTOWER	BRASILIA TABLE	2	39" X 39" X 11"
6	haworth	BUZZIMILK TABLE	2	46" X 15" X 15"
7	KNOLL	REMIX OFFICE SEATING	11	27° X 24°
8	HIGHTOWER	FOURCAST2 WAITING CHAIR	21	20° X 20° X 33°
9	CUSTOM	exam stool	10	D: 1 8
10	HIGHTOWER	BRECK SIDE TABLE	5	19" X 19" X 16"
11	CUSTOM	EXAM TABLE	10	96" X 30"
12	CUSTOM	DESK	5	SIZE VARIES
13	CUSTOM	CASEWORK	16	SIZE VARIES
14	HIGHTOWER	large flower table	1	44° X 42° X 18°
15	HIGHTOWER	eyes guest chair	15	23" X 20" X 32"
16	HIGHTOWER	NEST LOW WOOD CHAIR	2	23" X 23" X 30"
17	HIGHTOWER	NEST LOW WOOD SOFA	3	49" X 23" X 29"
18	HIGHTOWER	boet bar stool	4	15" X 15" X 29"
19	HIGHTOWER	Kona square table	2	28" X 28" X 28"
20	HIGHTOWER	STORY LOW BENCH WITH CUBBY	2	80° X 24° X 17°
21	HIGHTOWER	AYER UPHOLSTERED BENCH WITH SIDE TABLE	2	60" X 18" X 18"
22	HIGHTOWER	TRUE LOVE LOUNGE CHAIR	2	38° X 28° X 27°

THE FURNITURE SELECTED USES ORGANIC MATERIALS AND WHIMSICAL SHAPES TO EMULATE THE WORK OF DALE CHIHULY. COMBINING LIGHT WOOD WITH COLORFUL FABRICS CREATES A VISUALLY INTERESTING ENVIRONMENT THAT INSPIRES CHILD-LIKE IMAGINATION.







21

# RENDERED FLOOR PLAN





NUTMEG





VCT FLOORING







COOL TONES TO CALM ANXIETY AND MAKE ROOMS APPEAR LARGER

LAMINATE FLOORING



ARMSTRONG AMERICAN MAPLE



MARMOREAL STONE


RECEPTION GLASS PANEL



MCGRORY BACKPAINTED AIGA 114




# REFLECTED CEILING PLAN





THE LIGHT FIXTURES SELECTED WERE USED TO FURTHER INCORPORATE ORGANIC SHAPES INTO THE DESIGN. THE BLOSSOM PENDANT, HANDMADE IN SEATTLE, ADDS TEXTURE TO THE WAITING AREA AND ADDS THE ELEMENT OF WHIMSY TO THE SPACE.





#### LIGHTING LEGEND

$\Box$	2%2 TROFFER LIGHT LED
0	DOWNLIGHT RECESSED CAN LED
	ACCENT LIGHT MINILOOM COOPER HALO
$\bigcirc$	ocl glowring 48" Led
0	OCL GLOWRING 36" LED
D	ocl glowring 24' Led
B	FLOWER PENDANT
)	Smoke detector
•	FIRE SPRINKLER
	exit sign



#### PERSPECTIVE RENDERINGS



HALLWAY PERSPECTIVE



GLASS CABLE WALL WHICH FEATURES BRANDING

GLASS PORTHOLES ADD WHIMSICAL ARCHITECTURAL FEATURES DROPDOWN CEILING CREATES A FOCAL POINT ABOVE RECEPTION USING ORGANIC FORMS



RECEPTION/WAITING AREA PERSPECTIVE


#### CHIHULY'S CORNER: KID'S PLAY AREA THAT FEATURES A CHALKBOARD WALL WITH CHIHULY'S PERMANENT SKETCHES AND CRAFT TABLE



#### RENDERED ELEVATIONS

GLASS PORTHOLES ADD WHIMSICAL ARCHITECTURAL FEATURES

> SEC. WAITING/WEIGH STATION ELEVATION A SCALE: 1/4" = 1' @"



HALLWAY ELEVATION B SCALE: 1/4" = 1' (D"

COLOR-CODED TRIM FOR WAYFINDING PURPOSES



PICTURES OF CHIHULY'S GLASS WORK



#### RENDERED ELEVATIONS

STAINED GLASS CEILING HUNG PANELS





WAITING AREA ELEVATION C SCALE: 1/4" = 1" D"

PICTURES OF CHIHULY AT WORK WITH PLAQUE UNDERNEATH THAT DETAILS HIS PROCESS



SMALLER STOOLS FOR KIDS' CRAFT AREA BLOSSOM PENDANTS HANDCRAFTED IN SEATTLE THAT MIMIC HIS GLASSWORK



### FURNITURE SPECIFICATIONS

WAITING AREA SEATING					
NINBUS JR POINT CHAIR OF	IOWANS ARRAGNED TO CREATE SINGLE DROPS	CATALOG NUMBER	HT112/212	UNT COST	\$ 895.00
		MANUF ACTURER	HIGHT CONTR.	OPDONS COST	\$ 62.00
		CONTACT	MS SMITH	TOTAL COST	1 957@@
	FABRIC IMAGE	OPTIONS		NOTES USED FOR I	WATNG AREA 3
	ARC-COM SANTORIN MUTMEG	GANGING UNT - \$3	Ø	CHARS TO BE FURC	HASED AS A
		2 YAROS OF FABRIC	PER CHAR	SET. EACH HAVING A	DIFFERENT
				FABRIC OF THE ONE	5 SPECIFIED
COLUMN T	ARC-COM SANFORM SEAFOWN			-	
		ADDITIONAL OFFICIE	5	-	
	ARC-COM CHROMA - SEAFOAM	SAMTORIN FABRIC - S	532 PER YARD		
		CHRONIA FABRIC - \$1	0.5 PER YAKO		
				-	
		3-		-	



KIDS CRAFT CHAIR					4
SALLY		STYLE MUMBER.	G2175@K	UNT COST	\$ 99500
A LIGHTWEIGHT STOOL THAT IS	MANUF ACTURER	HGHTOWER	OPTIONS COST	\$ 3200	
	Farmericas, reservation reaction	CONTACT	MS_SMTH	TOTAL COST	\$ 102700
PRODUCT MAGE(5)	FINSH MAGES ARE-COM SANTORIN - NUTWEG	FNSHES WOOD SCAFED OAK FABRIC I YAND FEL STOOL		NOTES CHARS TO BE USED FOR CHILDREN AT THE CRUFT TABLE	
	ARC-COM SAVIORN - CHNANON	ADDITIONAL OPTIO SANTORIN FABRIC -			
	WOCC FINSH				





15

			A REAL PROPERTY AND A REAL PROPERTY.
CATALOG NUMBER	E32009	UNIT COST	\$2,850.00
MANUFACTURER	HGHIOWER	OFTIONS COST	\$ 35.00
CONTACT	MS_SMTH	TOTAL COST	\$2,850,00
OFFICN5		NOTES USED IN SEC	OND ARY WAITIN
WOOD CLEAR LAQU	ERED COAK		
DETAL WITH BUTTONS			
ADDITIONAL OPTIONS	5		
KWOLL INSTINCT - \$3	6 PER YARD		
		1	
		-	


CATALOG NUMBER	108/2137	UNT COST	\$ 1049.00
NAMIFACTURER	OF5	OPTIONS COST	1 72.00
CONTACT	WS SMITH	total cost	\$ 1049.00
FINISHES		NOTES USED N RIVI	ING AREA
UPHOLSTERED SEAT A	ND BACK	_	
WOOD LINEN			
2 YARDS OF FABRIC FER CHAR		_	
ADD/RONAL OPTIONS		-	
RNOLL INSTINCT - \$35 PER YARD			
		-	

# POST OCCUPANCY SPACE ANALYSIS

The floorplan of Fiori Pediatrics has a path of travel which allows patients and visitors to navigate through the space with ease. Along with a clear path of circulation, color coded doorframes provide as a means of wayfinding to direct patients to the correct location. The nurse's station is centrally located in order for the nurses to access the waiting room and exam rooms. Patient areas are separate from the staff areas to ensure the safety of patients. Staff areas are located near a secondary exit at the rear of the building to allow them to come and go without adding congestion to the waiting areas.

#### **Program Usable Square Footage Requirements**

Pro	ject: Fiori Pediatrics					Kennedy M., Allie K., Emily P., Kyra F.
Spa	108	- State - Stat		State and a state of the state	active St.	Special Considerations
1	NON-PATIENT AREAS	-			-	
2	Reception/Business Office	1	300	300	326	Open reception area with access to main entry. Privacy for business office. Very little barriers b/w patient and receptionist.
3	Workroom	1	200	200	108	18 lin. ft. of 18" deep shelves. Coat closet w/3 lin. ft. clothing rod. Worktable 10-12 sq. ft.
4	Nurses Station	1	300	300	225	Weight and blood pressure station w/2 chairs. Working space for 4 nurses. Laboratory sink.
5	Consulting Offices	3	180	540	436	Desk w/12-15 sq. ft. plus cradenza/return w/8-10 sq. ft. 1-2 guest chairs. 36 lin. ft. of shelving 12" deep
6	Employee Restroom	1	150	150	104	Lavatory, toilet, separate shower room.
7	Pharmacy/Storage Area	1	80	80	134	Should not be directly accessible to patients.
8	Staff Lounge	1	150	150	196	At least 6 employees and kitchen with fridge, sink, dishwasher, ico machine, and microwave. Oven/stove not required.
9	PATIENT AREAS					
10	Waiting Area	\$	500	500	568	Seating for 15 adults and 10 children. 100-200 sq. ft. of play area. Separate sick and well areas required.
11	Exam Rooms	9	90	810	888	85-100 sq.ft. Two should be bigger to accommodate mult, children or procedures. Not restricted by conventional distance requirements to plumbing waste lines.
12	Patient Restrooms	2	80	160	166	Lavatory and toilet. One located near waiting and one near exam rooms.
13	Secondary Waiting	1	100	100	92	Located close to main waiting. Seats 4 children and 4 adults.
A.	Total Assignable SF	2		3,290	3,243	
	Circulation %26 Multiplier35			1,152	1,157	26% circulation was predicted in early stages, and used in the end.
C	Total Usable SF Req.	- 25		4,442	4,400	
D	Available	100		4,400	4,400	
E	Over/Under			-42		



Required •

Important

х

A13